

MY-4K100

Simple Model

Pyramid Tea Bag with Outer Envelope Packing Machine

10-35 BAG-MIN



Labor Saving
High Precision



MINGYUAN

Ruian Mingyuan Machinery Co., Ltd

03

PART1

Parameters

04

PART2

Type Of Package

06

PART3

Optional Devices

07

PART4

Selling Points

10

PART5

After-sales

12

PART6

Certificates

13

PART7

Company Image

CATALOGUE ”

Catalogue Of Product Album



Click to jump to pages



MINGYUAN

Ruian Mingyuan Machinery Co., Ltd

Parameters

03



Model	MY-4K100
Bag Shape	Triangular bags and four side seal bags
Inside Bag Length	40-80 mm
Inside Bag Width	60-80 mm
Outer Bag Length	Max.150 mm
Outer Bag Width	Max.100 mm
Label Size	25*25 mm
Measurement Range	1-7 G
Power Supply Specifications	220V, 50Hz (Support customization)
Packaging Speed	10-35 bag/min
Power	3.2Kw
Air Source	0.8 mpa
Exhaust Volume	0.6m ³ /min
Machine Weight	700 KG
Machine Size	(Inside bag machine) L 1200*W 920*H 2060 mm (Outer bag machine) L 750*W 700*H 1500 mm
Suitable Products	Herbs, floral teas, dried tea leaves, coffee, blended teas, etc.
OEM (Show Client Company Name in Machine Panel) is welcome in our factory	



Ruian Mingyuan Machinery Co., Ltd

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

NYLON MESH




MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

RIPPLE NON-WOVEN FABRIC



MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

CORN FIBER MESH



MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

CORN FIBER NON-WOVEN FABRIC



MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

Contact me for more information on materials and types of packages

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

Sample Display

05



Tea Leaf



Mixed Tea



Dry Rose



Green Tea



Matrimony Vine



Osmanthus Tea

Optional Devices

06



Nitrogen Generator



Air Compressor



Date Printer



Photoelectric Sensor




Finished Bag Conveyor



Feeding Conveyor

Multilingual Touch Screen




Multi-language touch screen can switch various languages at the same time, and when there is a problem with the machine, it will automatically alarm, pause the operation and show where the machine is in the problem.

Miniature Electronic Scales



Can choose stainless steel material / plastic material, support custom 2 head, 4 head, 6 head scales, each scale can put different products, while measuring down, the accuracy can reach up to 0.2G, suitable for packaging tea, herbs, flower tea, coconut flakes and other small weight products.

Ultrasonic Sealing



The inner bag is fully ultrasonic sealed and can be cut in a straight line to avoid film waste, and will be surrounded by a small enclosure to protect the operator from contact burns and is environmentally safe. Can handle different packaging materials such as nylon, PLA fiber, PET, non-woven or other ultrasonic sealing materials.

Inner And Outer Bag Integrated Packaging



By connecting two machines with one conveyor, both inner and outer bags can be packed together at the same time, saving labor cost.

Selling Points

09

2 HEAD SAID

4 HEAD SAID

6 HEAD SAID



There're different measuring devices for options depends on the products' formula and speed requests.

For granules: 2heads/4heads/6heads/8heads/10 heads/12heads scales. (The more scales, the quicker speed, each scale's capacity about 10bags/min.) Please adopt Mingyuan high speed pyramid tea bag packing machine if you request for more than 60bags/Min.

SCREW



MEASURING CUP



For powder: Screw measuring system, auger feeder.(Eg.: Dip coffee)

Ruian Mingyuan Machinery Co., Ltd

Rest Assured To Buy

10

We are a company
with solutions

AFTER-SALES VIDEO

YouTube



Warranty of Spare Parts

Spare Parts guarantee for
one year since client
received machine



Technical Engineer Support

Send technician for installation &
training, the cost cover by buyer
(round ticket, accommodation,
Salary of USD 150 Each day)



Operation Manuals & Online Supports

We will provide the operation CD
and manual, we also supply the 24 hours
online service.



Bussiness Support

We will offer the most professional
suggestion to help you start and
expand your business

Ruian Mingyuan Machinery Co., Ltd

Good Service Win Client Trust

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

We will send the ultrasonic control box by DHL .

下午3:20 ✓✓

Hi Andy,
Thanks for listening.
In fact, you are fantastic. I will never change suppliers ...



Reliable Quality

Ok, you, your Company is so much cooperative. I always remember your company.

下午2:49



Excellent Service

Thank you.

下午2:50 ✓✓

Ok, Some one call me from Dhaka to know about machine. I tell him my experience.

下午3:02

de the production line will be fine we will buy you 5 more machines

07:55



Trustworthy

dont worry, we have more than 12years exprience in manufacture and export

07:56 ✓✓

It will be a pleasure collaborate with you company ASAP

下午4:21



Pleasure Cooperation

u . It is nice to cooperate



下午4:22 ✓✓

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

Certificates

12

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY




MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY



MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

MINGYUAN MACHINERY

Company View Image

13

MINGYUAN
MACHINERY

MINGYUAN
MACHINERY

MINGYUAN
MACHINERY

MINGYUAN
MACHINERY



MINGYUAN
MACHINERY

MINGYUAN
MACHINERY

MINGYUAN
MACHINERY

MINGYUAN
MACHINERY

Ruian Mingyuan Machinery Co., Ltd

Other Machine



Ultrasonic Non-woven packing Machine



Powder packing Machine



Nylon Triangle Bag Packing Machine



Bag Type Particle Packing Machine



Granule Packing Machine



High-speed Granule Packing Machine